

# PRODUCT FAMILY DATASHEET

## LEDVANCE OUTDOOR LED SURFACE ROUND

Wall and ceiling luminaires with modern design in round shape



---

### AREAS OF APPLICATION

- Outdoor
- Building facades
- Gardens, balconies and other outdoor areas

---

### PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- 5 years guarantee
- Easy and quick installation
- Homogeneous light output

---

### PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Type of protection: IP54
- Die-cast aluminum housing
- Available in two housing colors: white and dark gray
- Diffuser made of opal polycarbonate




TECHNICAL DATA

Product description	Electrical data	Photometrical data	Light technical data	Dimensions & weight			Colors & materials	Temperatures & operating conditions	Lifespan	Additional product data
	Nominal wattage	Luminous flux	Beam angle	Diameter	Height	Product weight	Product color	Ambient temperature range	Lifespan L70 at 25 °C	Mounting type
LED SURFACE ROUND 13 W 3000 K GY <sup>1)</sup>	13.00 W	480 lm	100.00 °	202.0 mm	45.0 mm	770.00 g	Gray	-20...40 °C	30000 h	Surface
LED SURFACE ROUND 13 W 3000 K WT <sup>1)</sup>	13.00 W	600 lm	100.00 °	202.0 mm	45.0 mm	770.00 g	White	-20...40 °C	30000 h	Surface


Product description	Mounting location	Capabilities	Certificates & standards			
		Dimmable	Type of protection	Protection class	Protection class IK (shock resistance)	Photobiological safety group
LED SURFACE ROUND 13 W 3000 K GY <sup>1)</sup>	Ceiling / Wall	No	IP54	I	IK06	RG 0
LED SURFACE ROUND 13 W 3000 K WT <sup>1)</sup>	Ceiling / Wall	No	IP54	I	IK06	RG 0

Product description	Standards
LED SURFACE ROUND 13 W 3000 K GY <sup>1)</sup>	CE
LED SURFACE ROUND 13 W 3000 K WT <sup>1)</sup>	CE


<sup>1)</sup> Available from February 2018



LED SURFACE ROUND 13 W 3000 K GY,  
LED SURFACE ROUND 13 W 3000 K WT



LED SURFACE ROUND 13 W 3000 K GY



LED SURFACE ROUND 13 W 3000 K WT

**EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

**APPLICATION ADVICE**

For more detailed application information and graphics please see product datasheet.

**LOGISTICAL DATA**

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075074897	LED SURFACE ROUND 13 W 3000 K GY	Shipping carton box 6	470 mm x 255 mm x 215 mm	25.77 dm <sup>3</sup>	5254.00 g
4058075074910	LED SURFACE ROUND 13 W 3000 K WT	Shipping carton box 6	470 mm x 255 mm x 215 mm	25.77 dm <sup>3</sup>	5254.00 g

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
--------------	---------------------	------------------------------	--------------------------------------	--------	--------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

#### REFERENCES / LINKS

For Guarantee see

▶ [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

---

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.